

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| L4    | 3    | (choose\$3 or determin\$3 or select\$3) near10 (network near3 interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference) and (modify or updat\$3 or chang\$3 or alter\$3 or writ\$3 or read\$3) adj10 (router or routing) adj5 (table or entry or memory or database) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/02/02 14:02 |
| L5    | 1    | 4 and (@AD < "20010928" or @RLAD < "20010928")   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/02/02 15:27 |
| L6    | 5    | (choose\$3 or determin\$3 or select\$3) near10 (network near3 interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference) and ((multiple or plurality) near10 networks or (wired and wireless))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/02/02 14:06 |
| L7    | 8    | (choose\$3 or determin\$3 or select\$3) near10 (network near3 interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/02/02 14:04 |
| L8    | 2    | 7 and (@AD < "20010928" or @RLAD < "20010928")   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/02/02 14:05 |
| L9    | 1    | 6 and (@AD < "20010928" or @RLAD < "20010928")   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/02/02 14:06 |
| L10   | 52   | (choose\$3 or determin\$3 or select\$3) near10 ( interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference) and ((multiple or plurality) near10 networks or (wired and wireless))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/02/02 15:05 |
| L11   | 27   | 10 and (@AD < "20010928" or @RLAD < "20010928")  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/02/02 16:16 |

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| L13 | 27   | 11 and (choose\$3 or determin\$3 or select\$3) near10 ( interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference) and ((multiple or plurality) near10 networks or (wired with wireless))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 14:26 |
| L15 | 18   | 11 and (choose\$3 or determin\$3 or select\$3) near10 ( interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference) and ((multiple or plurality) near10 networks or (wired with wireless)) and rout\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 15:10 |
| L16 | 2447 | (specif\$5 or choose\$3 or determin\$3 or select\$3) near10 (network or interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference or power adj3 consumption or latency or delay or traffic or bandwidth or parameter)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 15:09 |
| L18 | 2007 | (designat\$3 or request\$3 or specif\$5 or choose\$3 or determin\$3 or select\$3) near10 (network or interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference or power adj3 consumption or latency or delay or traffic or bandwidth or parameter) and (@AD < "20010928" or @RLAD < "20010928") | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 15:17 |
| L19 | 696  | 18 and ((multiple or plurality) near10 networks or (wired with wireless)) and rout\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 15:11 |
| L20 | 165  | 19 and (profile or preference) with (power adj3 consumption or latency or delay or traffic or bandwidth or parameter or variable or environment)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 15:18 |
| L21 | 38   | 19 and (profile or preference) with (includ\$3 or consider\$3 or incorporat\$3) adj10 (power adj3 consumption or latency or delay or traffic or bandwidth or parameter or variable or environment)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 15:19 |

|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| L22 | 13 | (5 or 15 or 21) and policy  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 15:32 |
| L24 | 16 | routing adj table near5 (entry or element) with field with (priority or parameter or metric or preference)          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 16:16 |
| L25 | 13 | 24 and (@AD < "20010928" or @RLAD < "20010928")   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 16:16 |
| L26 | 13 | 25 and routing adj table near5 (entry or element) near20 field with (priority or parameter or metric or preference) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 16:18 |
| L27 | 7  | 26 and (modify\$3 or updat\$3) adj5 routing adj table near5 (entry or element)                                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/02 16:19 |